



Quick Specs

Servicing Vehicles with Tire Pressure Monitoring Systems.

TTPMS

Make	Model	Year	Type of System	Reset After Tire Rotation	Reset After Sensor Replacement	Reset After Tire Change	Tool Used For Reset *	Sensor Bolt or Nut Torque (Inch Lbs./N.m)
Acura	MDX	2004-08	direct	Yes	Yes	Yes	Yes	36/4.1
Acura	RDX	2007-08	direct	Yes	Yes	Yes	Yes	36/4.1
Acura	RL	2005-08	direct	Yes	Yes	Yes	Yes	36/4.1
Acura	TL	2006-08	direct	Yes	Yes	Yes	Yes	36/4.1
Acura	TSX	2007-08	direct	Yes	Yes	Yes	Yes	36/4.1
Audi	A3	2006-07	indirect	No	n/a	No	No	n/a
Audi	A4	2004-05	direct	Yes	Yes	Yes	Yes	36/4.1
Audi	A4	2006-07	direct	Yes	Yes	Yes	Yes	36/4.1
Audi	A6	2005	direct	Yes	Yes	Yes	Yes	36/4.1
Audi	A6	2006-08	direct	Yes	Yes	Yes	Yes	36/4.1
Audi	A8	2004-07	direct	Yes	Yes	Yes	Yes	36/4.1
Audi	allroad	2002-05	direct	Yes	Yes	Yes	Yes	36/4.1
Audi	Q7	2007	direct	Yes	Yes	Yes	Yes	34/3.8
Audi	S4	2006-07	direct	Yes	Yes	Yes	Yes	36/4.1
Audi	TT	2008	direct	Yes	Yes	Yes	Yes	36/4.1

Vehicle Listing

Make	Model	Year	Type of System	Reset After Tire Rotation	Reset After Sensor Replacement	Reset After Tire Change	Tool Used For Reset *	Sensor Bolt or Nut Torque (Inch Lbs./N.m)
BMW	323Ci	2000	direct	Yes	Yes	Yes	No	31/3.5
BMW	323i	2000	direct	Yes	Yes	Yes	No	31/3.5
BMW	325Ci	2001-05	direct	Yes	Yes	Yes	No	31/3.5
BMW	325Ci	2006	indirect	Yes	n/a	Yes	No	n/a
BMW	325i	2001-05	direct	Yes	Yes	Yes	No	31/3.5
BMW	325i	2006	indirect	Yes	n/a	Yes	No	n/a
BMW	325xi	2002-05	direct	Yes	Yes	Yes	No	31/3.5
BMW	325xi	2006	indirect	Yes	n/a	Yes	No	n/a
BMW	328Ci	2000	direct	Yes	Yes	Yes	No	31/3.5
BMW	328i	2000	direct	Yes	Yes	Yes	No	31/3.5
BMW	328i	2007-08	direct	Yes	Yes	Yes	No	31/3.5
BMW	328xi	2007-08	direct	Yes	Yes	Yes	No	31/3.5
BMW	330Ci	2001-05	direct	Yes	Yes	Yes	No	31/3.5
BMW	330Ci	2006	indirect	Yes	n/a	Yes	No	n/a
BMW	330i	2001-05	direct	Yes	Yes	Yes	No	31/3.5

Vehicle Listing

Make	Model	Year	Type of System	Reset After Tire Rotation	Reset After Sensor Replacement	Reset After Tire Change	Tool Used For Reset *	Sensor Bolt or Nut Torque (Inch Lbs./N.m)
BMW	330i	2006	indirect	Yes	n/a	Yes	No	n/a
BMW	330xi	2002-05	direct	Yes	Yes	Yes	No	31/3.5
BMW	330xi	2006	indirect	Yes	n/a	Yes	No	n/a
BMW	335i	2007-08	direct	Yes	Yes	Yes	No	31/3.5
BMW	525i	2001-02	direct	Yes	Yes	Yes	No	31/3.5
BMW	525i	2003-06	indirect	Yes	n/a	Yes	No	n/a
BMW	525i	2007-08	direct	Yes	Yes	Yes	No	31/3.5
BMW	525xi	2006	indirect	Yes	n/a	Yes	No	n/a
BMW	525xi	2007-08	direct	Yes	Yes	Yes	No	31/3.5
BMW	528i	2007-08	direct	Yes	Yes	Yes	No	31/3.5
BMW	528xi	2007-08	direct	Yes	Yes	Yes	No	31/3.5
BMW	528i	97-2000	direct	Yes	Yes	Yes	No	31/3.5
BMW	530i	2001-02	direct	Yes	Yes	Yes	No	31/3.5
BMW	530i	2003-06	indirect	Yes	Yes	Yes	No	31/3.5
BMW	530i	2007	direct	Yes	Yes	Yes	No	31/3.5

Vehicle Listing

Make	Model	Year	Type of System	Reset After Tire Rotation	Reset After Sensor Replacement	Reset After Tire Change	Tool Used For Reset *	Sensor Bolt or Nut Torque (Inch Lbs./N.m)
BMW	530xi	2006	indirect	Yes	n/a	Yes	No	n/a
BMW	530xi	2007	direct	Yes	Yes	Yes	No	31/3.5
BMW	530xiT	2007	direct	Yes	Yes	Yes	No	31/3.5
BMW	535i	2008	direct	Yes	Yes	Yes	No	31/3.5
BMW	535xi	2008	direct	Yes	Yes	Yes	No	31/3.5
BMW	540i	97-2002	direct	Yes	Yes	Yes	No	31/3.5
BMW	540i	2003	indirect	Yes	n/a	Yes	No	n/a
BMW	545i	2004-05	indirect	Yes	n/a	Yes	No	n/a
BMW	550i	2006	indirect	Yes	n/a	Yes	No	n/a
BMW	550i	2007-08	direct	Yes	Yes	Yes	No	31/3.5
BMW	645Ci	2005	indirect	Yes	n/a	Yes	No	n/a
BMW	650Ci	2006	indirect	Yes	n/a	Yes	No	n/a
BMW	650i	2007-08	direct	Yes	Yes	Yes	No	31/3.5
BMW	740i	94-2001	direct	Yes	Yes	Yes	No	31/3.5
BMW	740iL	94-2001	direct	Yes	Yes	Yes	No	31/3.5

Vehicle Listing

Make	Model	Year	Type of System	Reset After Tire Rotation	Reset After Sensor Replacement	Reset After Tire Change	Tool Used For Reset *	Sensor Bolt or Nut Torque (Inch Lbs./N.m)
BMW	745i	2002-05	indirect	Yes	n/a	Yes	No	n/a
BMW	750i	2006-08	direct	Yes	Yes	Yes	No	31/3.5
BMW	750Li	94-2001	direct	Yes	Yes	Yes	No	31/3.5
BMW	750Li	2006-08	direct	Yes	Yes	Yes	No	31/3.5
BMW	760i	2005	indirect	Yes	n/a	Yes	No	n/a
BMW	760i	2006	direct	Yes	Yes	Yes	No	31/3.5
BMW	760Li	2003-05	indirect	Yes	n/a	Yes	No	n/a
BMW	760Li	06-2008	direct	Yes	Yes	Yes	No	31/3.5
BMW	M3	2001-05	direct	Yes	Yes	Yes	No	31/3.5
BMW	M3	2006	indirect	Yes	n/a	Yes	No	n/a
BMW	M5	2000-02	direct	Yes	Yes	Yes	No	31/3.5
BMW	M5	2003	indirect	Yes	n/a	Yes	No	n/a
BMW	M5	2006	direct	Yes	Yes	Yes	No	31/3.5
BMW	M5	2007-08	direct	Yes	Yes	Yes	No	31/3.5
BMW	M6	2007-08	direct	Yes	Yes	Yes	No	31/3.5

Vehicle Listing

Make	Model	Year	Type of System	Reset After Tire Rotation	Reset After Sensor Replacement	Reset After Tire Change	Tool Used For Reset *	Sensor Bolt or Nut Torque (Inch Lbs./N.m)
BMW	X3	2005-06	indirect	Yes	n/a	Yes	No	n/a
BMW	X3	2007-08	direct	Yes	Yes	Yes	No	31/3.5
BMW	X5	2004-06	direct	Yes	Yes	Yes	No	31/3.5
BMW	X5	2007-08	direct	Yes	Yes	Yes	No	31/3.5
BMW	Z3	2001-02	indirect	Yes	n/a	Yes	No	n/a
BMW	Z4	2004-06	indirect	Yes	Yes	Yes	No	31/3.5
BMW	Z4	2007-08	direct	Yes	Yes	Yes	No	31/3.5
BMW	Z8	2002-03	direct	Yes	Yes	Yes	No	Not Available
Buick	Century	99-2005	indirect	Yes	Yes	Yes	No	n/a
Buick	Enclave	2008	direct	Yes	Yes	Yes	Yes	62/7.0
Buick	LaCrosse	2006	indirect	Yes	Yes	Yes	No	n/a
Buick	LaCrosse	2007-08	direct	Yes	Yes	Yes	Yes	62/7.0
Buick	LeSabre	2000-05	indirect	Yes	Yes	Yes	No	n/a
Buick	Lucerne	2006	indirect	No	n/a	No	No	n/a
Buick	Lucerne	2007-08	direct	Yes	Yes	Yes	Yes	11.5/1.3

Vehicle Listing

Make	Model	Year	Type of System	Reset After Tire Rotation	Reset After Sensor Replacement	Reset After Tire Change	Tool Used For Reset *	Sensor Bolt or Nut Torque (Inch Lbs./N.m)
Buick	Park Avenue	98-2005	indirect	Yes	Yes	Yes	No	n/a
Buick	Rainier	2006-07	direct	Yes	Yes	Yes	Yes	62/7.0
Buick	Regal	99-2004	indirect	Yes	Yes	Yes	No	n/a
Buick	Rendezvous	2003-07	indirect	Yes	Yes	Yes	No	n/a
Cadillac	CTS	2004-08	direct	Yes	Yes	Yes	Yes	62/7.0
Cadillac	DeVille	2000-05	direct	Yes	Yes	Yes	Yes	62/7.0
Cadillac	DTS	2006	direct	Yes	Yes	Yes	Yes	62/7.0
Cadillac	DTS	2007-08	direct	Yes	Yes	Yes	Yes	11.5/1.3
Cadillac	Escalade	2004-07	direct	Yes	Yes	Yes	Yes	62/7.0 (Clamp) 11.5/1.3 (Snap)
Cadillac	Seville	2000-04	direct	Yes	Yes	Yes	No	62/7.0
Cadillac	SRX	2004-06	direct	Yes	Yes	Yes	Yes	62/7.0
Cadillac	SRX	2007-08	direct	Yes	Yes	Yes	Yes	11.5/1.3
Cadillac	STS	2005-08	direct	Yes	Yes	Yes	Yes	62/7.0
Cadillac	XLR	2004-08	direct	Yes	Yes	Yes	Yes	62/7.0

Vehicle Listing

Make	Model	Year	Type of System	Reset After Tire Rotation	Reset After Sensor Replacement	Reset After Tire Change	Tool Used For Reset *	Sensor Bolt or Nut Torque (Inch Lbs./N.m)
Chevrolet	Avalanche 1500/2500	2004-08	direct	Yes	Yes	Yes	Yes	62/7.0 (Clamp) 11.5/1.3 (Snap)
Chevrolet	Aveo	2008	direct	Yes	Yes	Yes	Yes	11.5/1.3
Chevrolet	Cobalt	2008	direct	Yes	Yes	Yes	Yes	62/7.0
Chevrolet	Colorado	2007-08	direct	Yes	Yes	Yes	Yes	62/7.0
Chevrolet	Corvette	1990-96	direct	Yes	Yes	Yes	Yes	60/6.8
Chevrolet	Corvette	1997	direct	Yes	Yes	Yes	No	106/12.0
Chevrolet	Corvette	98-2000	direct	Yes	Yes	Yes	No	106/12.0
Chevrolet	Corvette	2001-05	direct	Yes	Yes	Yes	No	62/7.0
Chevrolet	Corvette	2006-08	direct	Yes	Yes	Yes	Yes	62/7.0
Chevrolet	Equinox	2007-08	direct	Yes	Yes	Yes	Yes	62/7.0
Chevrolet	Express	2008	direct	Yes	Yes	Yes	Yes	11.5/1.3
Chevrolet	Impala	2000-05	indirect	No	n/a	No	No	n/a
Chevrolet	Impala	2006-08	direct	Yes	Yes	Yes	Yes	62/7.0 (Clamp) 11.5/1.3 (Snap)
Chevrolet	Monte Carlo	2000-05	indirect	No	n/a	No	No	n/a

Vehicle Listing

Make	Model	Year	Type of System	Reset After Tire Rotation	Reset After Sensor Replacement	Reset After Tire Change	Tool Used For Reset *	Sensor Bolt or Nut Torque (Inch Lbs./N.m)
Chevrolet	Monte Carlo	2006-08	direct	Yes	Yes	Yes	Yes	62/7.0 (Clamp) 11.5/1.3 (Snap)
Chevrolet	Silverado	2004-06	direct	Yes	Yes	Yes	Yes	62/7.0
Chevrolet	Silverado	2007-08	direct	Yes	Yes	Yes	Yes	62/7.0 (Clamp) 11.5/1.3 (Snap)
Chevrolet	Silverado Classic	2007	direct	Yes	Yes	Yes	Yes	62/7.0
Chevrolet	Suburban 1500/2500	2004-08	direct	Yes	Yes	Yes	Yes	62/7.0 (Clamp) 11.5/1.3 (Snap)
Chevrolet	Tahoe	2004-08	direct	Yes	Yes	Yes	Yes	62/7.0 (Clamp) 11.5/1.3 (Snap)
Chevrolet	Trailblazer	2006-08	direct	Yes	Yes	Yes	Yes	62/7.0
Chevrolet	Uplander	2008	direct	Yes	Yes	Yes	Yes	62/7.0
Chrysler	300	2005-06	direct	Yes	Yes	Yes	No	58/6.6
Chrysler	300	2007-08	direct	Yes	Yes	Yes	No	71/8.0
Chrysler	300M	2002-04	direct	Yes	Yes	Yes	Magnet	35/4.0
Chrysler	Aspen	2007-08	direct	Yes	Yes	Yes	No	53/6.0

Vehicle Listing

Make	Model	Year	Type of System	Reset After Tire Rotation	Reset After Sensor Replacement	Reset After Tire Change	Tool Used For Reset *	Sensor Bolt or Nut Torque (Inch Lbs./N.m)
Chrysler	Crossfire	2004-08	direct	No	Yes	No	Magnet	35/4.0
Chrysler	Pacifica	2004	direct	No	Yes	No	Magnet	35/4.0
Chrysler	Pacifica	2005-06	direct	No	Yes	No	No	58/6.6
Chrysler	Pacifica	2007-08	direct	No	Yes	No	No	40/4.5
Chrysler	Prowler	2002	direct	Yes	Yes	Yes	Yes	35/4.0
Chrysler	PT Cruiser	2008	direct	Yes	Yes	Yes	No	58/6.5
Chrysler	Sebring	2007-08	direct	No	Yes	No	No	71/8.0
Chrysler	Town & Country	2002-03	direct	Yes	Yes	Yes	Magnet	35/4.0
Chrysler	Town & Country	2004	direct	Yes	Yes	Yes	No	35/4.0
Chrysler	Town & Country	2005-07	direct	Yes	Yes	Yes	No	40/4.0
Chrysler	Town & Country	2008	direct	Yes	Yes	Yes	No	58/6.5
Dodge	Avenger	2008	direct	Yes	Yes	Yes	No	35/4.0
Dodge	Caliber	2007-08	direct	Yes	Yes	Yes	No	40/4.5
Dodge	Caravan	2002-04	direct	Yes	Yes	Yes	Magnet	35/4.0
Dodge	Caravan	2005-07	direct	Yes	Yes	Yes	No	35/4.0

Vehicle Listing

Make	Model	Year	Type of System	Reset After Tire Rotation	Reset After Sensor Replacement	Reset After Tire Change	Tool Used For Reset *	Sensor Bolt or Nut Torque (Inch Lbs./N.m)
Dodge	Charger	2005-06	direct	Yes	Yes	Yes	No	58/6.6
Dodge	Charger	2007-08	direct	Yes	Yes	Yes	No	71/8.0
Dodge	Dakota	2008	direct	No	Yes	No	No	58/6.5
Dodge	Durango	2007-08	direct	No	Yes	No	No	53/6.0
Dodge	Grand Caravan	2002-04	direct	Yes	Yes	Yes	Magnet	35/4.0
Dodge	Grand Caravan	2005-08	direct	Yes	Yes	Yes	No	35/4.0
Dodge	Magnum	2005-06	direct	Yes	Yes	Yes	No	58/6.6
Dodge	Magnum	2007-08	direct	Yes	Yes	Yes	No	71/8.0
Dodge	Nitro	2007-08	direct	No	Yes	No	No	53/6.0
Dodge	Ram Pickup	2008	direct	No	Yes	No	No	53/6.0
Dodge	Sprinter	2008	direct	Yes	Yes	Yes	No	53/6.0
Dodge	Viper	2003-06	direct	Yes	Yes	Yes	Yes	35/4.0
Dodge	Viper	2007-08	direct	Yes	Yes	Yes	No	35/4.0
Ford	Crown Victoria	2008	direct	No	Yes	No	Yes	27/3.1
Ford	Econoline	2008	direct	No	Yes	No	Yes	27/3.1

Vehicle Listing

Make	Model	Year	Type of System	Reset After Tire Rotation	Reset After Sensor Replacement	Reset After Tire Change	Tool Used For Reset *	Sensor Bolt or Nut Torque (Inch Lbs./N.m)
Ford	Edge	2007-08	direct	No	Yes	No	Yes	27/3.1
Ford	Escape	2006-08	direct	No	Yes	No	Yes	27/3.1
Ford	Expedition	2003-06	direct	No	Yes	No	Magnet	44/5.0
Ford	Expedition	2007-08	direct	No	Yes	No	Yes	27/3.1
Ford	Explorer	2002-05	direct	No	Yes	No	Magnet	44/5.0
Ford	Explorer	2006-08	direct	No	Yes	No	Yes	27/3.1
Ford	Explorer Sport Trac	2007-08	direct	No	Yes	No	Yes	27/3.1
Ford	F-150	2007-08	direct	Yes	Yes	Yes	Yes	27/3.1
Ford	Focus	2008	direct	No	Yes	No	Yes	27/3.1
Ford	Freestar	2004-05	indirect	Yes	Yes	Yes	No	na
Ford	Freestar	2006-07	direct	No	Yes	No	Yes	27/3.1
Ford	Fusion	2008	direct	No	Yes	No	Yes	27/3.1
Ford	Mustang	2007-08	direct	No	Yes	No	Yes	27/3.1
Ford	Ranger	2007-08	direct	No	Yes	No	Yes	27/3.1
Ford	Taurus	2008	direct	No	Yes	No	Yes	27/3.1

Vehicle Listing

Make	Model	Year	Type of System	Reset After Tire Rotation	Reset After Sensor Replacement	Reset After Tire Change	Tool Used For Reset *	Sensor Bolt or Nut Torque (Inch Lbs./N.m)
Ford	Taurus X	2008	direct	No	Yes	No	Yes	27/3.1
Ford	Windstar	2001-03	indirect	Yes	Yes	Yes	No	na
GMC	Acadia	2007-08	direct	Yes	Yes	Yes	Yes	62/7.0
GMC	Canyon	2007-08	direct	Yes	Yes	Yes	Yes	62/7.0
GMC	Envoy	2006-08	direct	Yes	Yes	Yes	Yes	62/7.0
GMC	Savana	2008	direct	Yes	Yes	Yes	Yes	11.5/1.3
GMC	Sierra	2004-06	direct	Yes	Yes	Yes	Yes	62/7.0
GMC	Sierra	2007-08	direct	Yes	Yes	Yes	Yes	62/7.0 (Clamp) 11.5/1.3 (Snap)
GMC	Sierra Classic	2007	direct	Yes	Yes	Yes	Yes	62/7.0
GMC	Yukon	2004-07	direct	Yes	Yes	Yes	Yes	62/7.0 (Clamp) 11.5/1.3 (Snap)
GMC	Yukon Denali	2005-07	direct	Yes	Yes	Yes	Yes	62/7.0 (Clamp) 11.5/1.3 (Snap)
GMC	Yukon XL	2004-07	direct	Yes	Yes	Yes	Yes	62/7.0 (Clamp) 11.5/1.3 (Snap)

Vehicle Listing

Make	Model	Year	Type of System	Reset After Tire Rotation	Reset After Sensor Replacement	Reset After Tire Change	Tool Used For Reset *	Sensor Bolt or Nut Torque (Inch Lbs./N.m)
Honda	Accord	2008	direct	No	Yes	No	Yes	36/4.1
Honda	CR-V	2007-08	direct	No	Yes	No	Yes	36/4.1
Honda	Element	2007-08	direct	No	Yes	No	Yes	36/4.1
Honda	FIT	2008	direct	No	Yes	No	Yes	36/4.1
Honda	Odyssey	2005-06	direct	Yes	Yes	Yes	Yes	36/4.1
Honda	Odyssey	2007	direct	Yes	Yes	Yes	Yes	36/4.1
Honda	Pilot	2005-08	direct	Yes	Yes	Yes	Yes	36/4.1
Honda	Ridgeline	2006-08	direct	Yes	Yes	No	Yes	36/4.1
Honda	S2000	2008	direct	No	Yes	No	Yes	36/4.1
Hummer	H2	2008	direct	Yes	Yes	Yes	Yes	11.5/1.3
Hummer	H3	2006-08	direct	Yes	Yes	Yes	Yes	62/7.0
Hyundai	Accent	2007-08	direct	Yes	Yes	Yes	Yes	35/4.0
Hyundai	Azera	2008	direct	Yes	Yes	Yes	Yes	35/4.0
Hyundai	Elantra	2008	direct	Yes	Yes	Yes	Yes	35/4.0
Hyundai	Entourage	2007-08	direct	Yes	Yes	Yes	Yes	35/4.0

Vehicle Listing

Make	Model	Year	Type of System	Reset After Tire Rotation	Reset After Sensor Replacement	Reset After Tire Change	Tool Used For Reset *	Sensor Bolt or Nut Torque (Inch Lbs./N.m)
Hyundai	Santa Fe	2007-08	direct	Yes	Yes	Yes	Yes	35/4.0
Hyundai	Sonata	2008	direct	Yes	Yes	Yes	Yes	35/4.0
Hyundai	Tiburon	2008	direct	Yes	Yes	Yes	Yes	35/4.0
Hyundai	Tucson	2006-08	direct	Yes	Yes	Yes	Yes	35/4.0
Hyundai	Veracruz	2006-08	direct	Yes	Yes	Yes	Yes	35/4.0
Infiniti	FX35	2003-08	direct	Yes	Yes	Yes	Yes	72/8.1
Infiniti	FX45	2003-08	direct	Yes	Yes	Yes	Yes	72/8.1
Infiniti	G35	2004-05	direct	Yes	Yes	Yes	Yes	78/8.8
Infiniti	G35	2006-07	direct	Yes	Yes	Yes	Yes	66/7.5
Infiniti	G38	2008	direct	Yes	Yes	Yes	Yes	66/7.5
Infiniti	M35	2006-07	direct	Yes	Yes	Yes	Yes	66/7.5
Infiniti	M45	2003-04	direct	Yes	Yes	Yes	Yes	72/8.1
Infiniti	M45	2006-07	direct	Yes	Yes	Yes	Yes	66/7.5
Infiniti	Q45	2003-06	direct	Yes	Yes	Yes	Yes	72/8.1
Infiniti	QX56	2004-05	direct	Yes	Yes	Yes	Yes	78/8.8

Vehicle Listing

Make	Model	Year	Type of System	Reset After Tire Rotation	Reset After Sensor Replacement	Reset After Tire Change	Tool Used For Reset *	Sensor Bolt or Nut Torque (Inch Lbs./N.m)
Infiniti	QX56	2006-08	direct	Yes	Yes	Yes	Yes	49/5.5
Isuzu	Ascender	2006-08	direct	Yes	Yes	Yes	Yes	62/7.0
Isuzu	I-290	2007-08	direct	Yes	Yes	Yes	Yes	62/7.0
Isuzu	I-370	2007-08	direct	Yes	Yes	Yes	Yes	62/7.0
Isuzu	Rodeo	2004	direct	Yes	Yes	Yes	Yes	65/7.3
Jaguar	XJ Series	2006-08	direct	Yes	Yes	Yes	No	71/8.0
Jaguar	XK Series	2007-08	direct	Yes	Yes	Yes	No	71/8.0
Jaguar	X-Type	2008	direct	Yes	Yes	Yes	No	71/8.0
Jeep	Commander	2006-08	direct	Yes	Yes	Yes	No	66/7.5
Jeep	Compass	2007-08	direct	Yes	Yes	Yes	No	58/6.6
Jeep	Grand Cherokee	2002-04	direct	Yes	Yes	Yes	Magnet	64/7.2
Jeep	Grand Cherokee	2005-08	direct	Yes	Yes	Yes	No	66/7.5
Jeep	Liberty	2004-05	direct	Yes	Yes	Yes	Magnet	64/7.2
Jeep	Liberty	2006-07	direct	Yes	Yes	Yes	No	71/8.0
Jeep	Liberty	2008	direct	Yes	Yes	Yes	No	53/6.0

Vehicle Listing

Make	Model	Year	Type of System	Reset After Tire Rotation	Reset After Sensor Replacement	Reset After Tire Change	Tool Used For Reset *	Sensor Bolt or Nut Torque (Inch Lbs./N.m)
Jeep	Patriot	2007-08	direct	Yes	Yes	Yes	No	58/6.6
Jeep	Wrangler	2007-08	direct	Yes	Yes	Yes	No	58/6.6
Kia	Optima	2006-07	direct	Yes	Yes	Yes	Yes	35/4.0
Kia	Sedona	2006-07	direct	Yes	Yes	Yes	Yes	35/4.0
Kia	Spectra	2008	direct	Yes	Yes	Yes	Yes	35/4.0
Kia	Sportage	2006-07	direct	Yes	Yes	Yes	Yes	35/4.0
Kia	Sorento	2007	direct	Yes	Yes	Yes	Yes	35/4.0
Land Rover	LR2	2008	direct	Yes	Yes	Yes	No	58/6.6
Land Rover	LR3	2006-07	direct	Yes	Yes	Yes	No	58/6.6
Land Rover	Range Rover	2003-05	direct	Yes	Yes	Yes	No	31/3.5
Land Rover	Range Rover	2006-08	direct	Yes	Yes	Yes	No	58/6.6
Land Rover	Range Rover Sport	2006-08	direct	Yes	Yes	Yes	No	58/6.6
Lexus	ES 350	2007-08	direct	No	Yes	Yes	No	35/4.0
Lexus	GS 300	2006	direct	Yes	Yes	Yes	No	35/4.0
Lexus	GS 350	2007	direct	Yes	Yes	Yes	No	35/4.0

Vehicle Listing

Make	Model	Year	Type of System	Reset After Tire Rotation	Reset After Sensor Replacement	Reset After Tire Change	Tool Used For Reset *	Sensor Bolt or Nut Torque (Inch Lbs./N.m)
Lexus	GS 430	2006-07	direct	Yes	Yes	Yes	No	35/4.0
Lexus	GS 450h	2007	direct	Yes	Yes	Yes	No	35/4.0
Lexus	GX 470	2004-06	direct	No	Yes	Yes	Yes	35/4.0
Lexus	GX 470	2007-08	direct	No	Yes	Yes	Yes	75/8.5
Lexus	IS 250	2006-08	direct	Yes	Yes	Yes	No	35/4.0
Lexus	IS 350	2006-08	direct	Yes	Yes	Yes	No	35/4.0
Lexus	LS430	2004-06	indirect	Yes	Yes	Yes	No	n/a
Lexus	LS 460	2007-08	direct	Yes	Yes	Yes	No	35/4.0
Lexus	LS 600h	2008	direct	Yes	Yes	Yes	No	35/4.0
Lexus	LX 470	2006-07	direct	No	Yes	Yes	Yes	35/4.0
Lexus	RX 330	2004-06	indirect	Yes	Yes	Yes	No	n/a
Lexus	RX 350	2007-08	direct	Yes	Yes	Yes	No	35/4.0
Lexus	RX 400h	2007-08	direct	Yes	Yes	Yes	No	35/4.0
Lexus	SC430	2004-08	direct	No	Yes	Yes	Yes	27/3.0
Lincoln	Aviator	2003-05	direct	No	Yes	Yes	Magnet	44/5.0

Vehicle Listing

Make	Model	Year	Type of System	Reset After Tire Rotation	Reset After Sensor Replacement	Reset After Tire Change	Tool Used For Reset *	Sensor Bolt or Nut Torque (Inch Lbs./N.m)
Lincoln	Navigator	2003-06	direct	No	Yes	Yes	Magnet	44/5.0
Lincoln	Mark LT	2007-08	direct	Yes	Yes	Yes	Yes	27/3.1
Lincoln	MKX	2007-08	direct	No	Yes	No	Yes	27/3.1
Lincoln	MKZ	2008	direct	No	Yes	No	Yes	27/3.1
Ford	Navigator	2007-08	direct	No	Yes	No	Yes	27/3.1
Mazda	3	2005-07	direct	No	Yes	No	No	71/8.0
Mazda	5	2007	direct	No	Yes	No	No	71/8.0
Mazda	CX-7	2007	direct	No	Yes	No	No	71/8.0
Mazda	CX-9	2007	direct	No	Yes	No	No	71/8.0
Mazda	MX-5	2007	direct	No	Yes	No	No	71/8.0
Mazda	RX-8	2004-06	direct	No	Yes	No	No	62-70/7.0-8.0
MercedesBenz	CL500	2000-06	direct	Yes	Yes	Yes	No	35/4.0
MercedesBenz	CL550	2007-08	direct	Yes	Yes	Yes	No	35/4.0
MercedesBenz	CL55 AMG	2005-06	direct	Yes	Yes	Yes	No	35/4.0
MercedesBenz	CL600	2001-08	direct	Yes	Yes	Yes	No	35/4.0

Vehicle Listing

Make	Model	Year	Type of System	Reset After Tire Rotation	Reset After Sensor Replacement	Reset After Tire Change	Tool Used For Reset *	Sensor Bolt or Nut Torque (Inch Lbs./N.m)
MercedesBenz	CL65 AMG	2005-06	direct	Yes	Yes	Yes	No	35/4.0
MercedesBenz	CLK350	2007-08	direct	Yes	Yes	Yes	No	35/4.0
MercedesBenz	CLK550	2007-08	direct	Yes	Yes	Yes	No	35/4.0
MercedesBenz	CLK63	2007-08	direct	Yes	Yes	Yes	No	35/4.0
MercedesBenz	CLS500	2006-08	direct	Yes	Yes	Yes	No	35/4.0
MercedesBenz	CLS55 AMG	2006-08	direct	Yes	Yes	Yes	No	35/4.0
MercedesBenz	E300D	1996-99	direct	Yes	Yes	Yes	No	35/4.0
MercedesBenz	E320	96-2005	direct	Yes	Yes	Yes	No	35/4.0
MercedesBenz	E320 CDI	2006-08	direct	Yes	Yes	Yes	No	35/4.0
MercedesBenz	E350	2006-08	direct	Yes	Yes	Yes	No	35/4.0
MercedesBenz	E420	1997-98	direct	Yes	Yes	Yes	No	35/4.0
MercedesBenz	E420	1998	direct	Yes	Yes	Yes	No	35/4.0
MercedesBenz	E430	99-2002	direct	Yes	Yes	Yes	No	35/4.0
MercedesBenz	E55	99-2004	direct	Yes	Yes	Yes	No	35/4.0
MercedesBenz	E55 AMG	2005-06	direct	Yes	Yes	Yes	No	35/4.0

Vehicle Listing

Make	Model	Year	Type of System	Reset After Tire Rotation	Reset After Sensor Replacement	Reset After Tire Change	Tool Used For Reset *	Sensor Bolt or Nut Torque (Inch Lbs./N.m)
MercedesBenz	E500	2003-06	direct	Yes	Yes	Yes	No	35/4.0
MercedesBenz	E550	2007-08	direct	Yes	Yes	Yes	No	35/4.0
MercedesBenz	E63	2007-08	direct	Yes	Yes	Yes	No	35/4.0
MercedesBenz	GL320	2006-08	direct	Yes	Yes	Yes	No	35/4.0
MercedesBenz	GL450	2006-08	direct	Yes	Yes	Yes	No	35/4.0
MercedesBenz	ML350	2006-08	direct	Yes	Yes	Yes	No	35/4.0
MercedesBenz	ML500	2006-08	direct	Yes	Yes	Yes	No	35/4.0
MercedesBenz	R350	2006-08	direct	Yes	Yes	Yes	No	35/4.0
MercedesBenz	R500	2006-08	direct	Yes	Yes	Yes	No	35/4.0
MercedesBenz	S350	2006	direct	Yes	Yes	Yes	No	35/4.0
MercedesBenz	S430	2000-06	direct	Yes	Yes	Yes	No	35/4.0
MercedesBenz	S500	2000-06	direct	Yes	Yes	Yes	No	35/4.0
MercedesBenz	S550	2007-08	direct	Yes	Yes	Yes	No	35/4.0
MercedesBenz	S55	2001-04	direct	Yes	Yes	Yes	No	35/4.0
MercedesBenz	S55 AMG	2005-06	direct	Yes	Yes	Yes	No	35/4.0

Vehicle Listing

Make	Model	Year	Type of System	Reset After Tire Rotation	Reset After Sensor Replacement	Reset After Tire Change	Tool Used For Reset *	Sensor Bolt or Nut Torque (Inch Lbs./N.m)
MercedesBenz	S600	2001-08	direct	Yes	Yes	Yes	No	35/4.0
MercedesBenz	S65 AMG	2007-08	direct	Yes	Yes	Yes	No	35/4.0
MercedesBenz	SL500	2002-06	direct	Yes	Yes	Yes	No	35/4.0
MercedesBenz	SL550	2007-08	direct	Yes	Yes	Yes	No	35/4.0
MercedesBenz	SL55 AMG	2005-06	direct	Yes	Yes	Yes	No	35/4.0
MercedesBenz	SL600	2002-08	direct	Yes	Yes	Yes	No	35/4.0
MercedesBenz	SL65 AMG	2005-08	direct	Yes	Yes	Yes	No	35/4.0
Mercury	Grand Marquis	2008	direct	No	Yes	No	Yes	27/3.1
Mercury	Mariner	2006-08	direct	No	Yes	No	Yes	27/3.1
Mercury	Milan	2008	direct	No	Yes	No	Yes	27/3.1
Mercury	Monterey	2004-05	indirect	Yes	Yes	Yes	No	n/a
Mercury	Monterey	2006-07	direct	No	Yes	No	Yes	27/3.1
Mercury	Mountaineer	2002-05	direct	Yes	Yes	Yes	Magnet	44/5.0
Mercury	Mountaineer	2006-08	direct	No	Yes	No	Yes	27/3.1
Mercury	Sable	2008	direct	No	Yes	No	Yes	27/3.1

Vehicle Listing

Make	Model	Year	Type of System	Reset After Tire Rotation	Reset After Sensor Replacement	Reset After Tire Change	Tool Used For Reset *	Sensor Bolt or Nut Torque (Inch Lbs./N.m)
MINI	Cooper	2002	direct	Yes	Yes	Yes	No	n/a
MINI	Cooper	2003-06	indirect	Yes	Yes	Yes	No	n/a
MINI	Cooper	2007-08	direct	Yes	Yes	Yes	No	31/3.5
Mitsubishi	Eclipse	2008	direct	Yes	Yes	Yes	Yes	49/5.5
Mitsubishi	Endeavor	2004-08	direct	Yes	Yes	Yes	Yes	49/5.5
Mitsubishi	Galant	2006-08	direct	Yes	Yes	Yes	Yes	49/5.5
Mitsubishi	Lancer	2008	direct	Yes	Yes	Yes	Yes	71/8.0
Mitsubishi	Montero	2004-06	direct	Yes	Yes	Yes	Yes	49/5.5
Mitsubishi	Outlander	2007	direct	Yes	Yes	Yes	Yes	71/8
Nissan	350Z	2003-05	direct	No	Yes	Yes	Yes	72/8.1
Nissan	350Z	2006	direct	No	Yes	Yes	Yes	66/7.5
Nissan	Altima	2007-08	direct	No	Yes	Yes	Yes	49/5.5
Nissan	Armada	2005-08	direct	No	Yes	No	Yes	49/5.5
Nissan	Frontier	2003-05	direct	No	Yes	Yes	Yes	60/6.8
Nissan	Frontier	2006-08	direct	No	Yes	Yes	Yes	49/5.5

Vehicle Listing

Make	Model	Year	Type of System	Reset After Tire Rotation	Reset After Sensor Replacement	Reset After Tire Change	Tool Used For Reset *	Sensor Bolt or Nut Torque (Inch Lbs./N.m)
Nissan	Maxima	2007-08	direct	No	Yes	No	Yes	49/5.5
Nissan	Murano	2003-05	direct	No	Yes	Yes	Yes	72/8.1
Nissan	Murano	2006-08	direct	No	Yes	Yes	Yes	66/7.5
Nissan	Pathfinder	2003-04	direct	No	Yes	Yes	Yes	72/8.1
Nissan	Pathfinder	2005-08	direct	No	Yes	No	Yes	49/5.5
Nissan	Quest	2004-06	direct	No	Yes	Yes	Yes	78/8.8
Nissan	Quest	2007-08	direct	No	Yes	No	Yes	49/5.5
Nissan	Sentra	2007-08	direct	No	Yes	No	Yes	49/5.5
Nissan	Titan	2004-08	direct	No	Yes	No	Yes	49/5.5
Nissan	Versa	2007-08	direct	No	Yes	No	Yes	49/5.5
Nissan	Xterra	2003-04	direct	No	Yes	Yes	Yes	36-60/4.0-7.0
Nissan	Xterra	2005-08	direct	No	Yes	No	Yes	49/5.5
Oldsmobile	Alero	99-2002	indirect	No	n/a	No	No	n/a
Oldsmobile	Aurora	2001-03	indirect	No	n/a	No	No	n/a
Pontiac	Aztek	2003-05	indirect	No	n/a	No	No	n/a

Vehicle Listing

Make	Model	Year	Type of System	Reset After Tire Rotation	Reset After Sensor Replacement	Reset After Tire Change	Tool Used For Reset *	Sensor Bolt or Nut Torque (Inch Lbs./N.m)
Pontiac	Bonneville	2000-05	indirect	No	n/a	No	Yes	n/a
Pontiac	G5	2008	direct	Yes	Yes	Yes	Yes	62/7.0
Pontiac	G6	2008	direct	Yes	Yes	Yes	Yes	62/7.0
Pontiac	Grand Am	99-2003	indirect	No	n/a	No	No	n/a
Pontiac	Grand Prix	2004-06	indirect	No	n/a	No	No	n/a
Pontiac	Grand Prix	2007-08	direct	Yes	Yes	Yes	Yes	62/7.0
Pontiac	Solstice	2008	direct	Yes	Yes	Yes	Yes	62/7.0
Pontiac	Torrent	2007-08	direct	Yes	Yes	Yes	Yes	62/7.0
Pontiac	Vibe	2005-07	indirect	No	n/a	No	No	n/a
Pontiac	Vibe	2008	direct	Yes	Yes	Yes	Yes	35/4.0
Porsche	Boxster & 911	2007	direct	No	Yes	No	Yes	36/4.1
Porsche	Cayenne	2004-06	direct	No	Yes	No	Yes	36/4.1
Porsche	Cayman	2007	direct	No	Yes	No	Yes	36/4.1
Saab	9-3	2004	direct	No	No	No	No	90/10.2
Saab	9-7x	2006-08	direct	Yes	Yes	Yes	Yes	62/7.0

Vehicle Listing

Make	Model	Year	Type of System	Reset After Tire Rotation	Reset After Sensor Replacement	Reset After Tire Change	Tool Used For Reset *	Sensor Bolt or Nut Torque (Inch Lbs./N.m)
Saturn	Aura	2007-08	direct	Yes	Yes	Yes	Yes	62/7.0
Saturn	Outlook	2007-08	direct	Yes	Yes	Yes	Yes	62/7.0
Saturn	Sky	2008	direct	Yes	Yes	Yes	Yes	62/7.0
Scion	tC	2005-06	indirect	Yes	Yes	Yes	No	n/a
Scion	tC	2007-08	direct	No	Yes	No	Yes	35/4
Scion	xB	2008	direct	No	Yes	No	Yes	35/4
Scion	xD	2008	direct	No	Yes	No	Yes	35/4
Subaru	B9 Tribeca	2006-08	direct	Yes	Yes	Yes	Yes	66/7.5
Subaru	Forester	2008	direct	Yes	Yes	Yes	Yes	66/7.5
Subaru	Impreza	2008	direct	Yes	Yes	Yes	Yes	66/7.5
Subaru	Legacy	2006-08	direct	Yes	Yes	Yes	Yes	66/7.5
Subaru	Outback	2005-08	direct	Yes	Yes	Yes	Yes	66/7.5
Suzuki	Forenza	2008	direct	Yes	Yes	Yes	Yes	11.5/1.3
Suzuki	Grand Vitara	2008	direct	Yes	Yes	Yes	Yes	78/8.8
Suzuki	Reno	2008	direct	Yes	Yes	Yes	Yes	11.5/1.3

Vehicle Listing

Make	Model	Year	Type of System	Reset After Tire Rotation	Reset After Sensor Replacement	Reset After Tire Change	Tool Used For Reset *	Sensor Bolt or Nut Torque (Inch Lbs./N.m)
Suzuki	SX4	2007-08	direct	Yes	Yes	Yes	Yes	78/8.8
Suzuki	Verona	2005-06	direct	Yes	Yes	Yes	Yes	78/8.8
Suzuki	XL-7	2005-06	direct	Yes	Yes	Yes	Yes	78/8.8
Suzuki	XL-7	2007-08	direct	Yes	Yes	Yes	Yes	62/7
Toyota	4Runner	2004-08	direct	No	Yes	No	Yes	35/4.0
Toyota	Camry	2007-08	direct	Yes	Yes	Yes	Yes	35/4.0
Toyota	Corolla	2005-07	indirect	Yes	n/a	Yes	No	n/a
Toyota	Corolla	2008	direct	Yes	Yes	Yes	Yes	35/4.0
Toyota	Highlander	2004-07	indirect	Yes	n/a	Yes	No	n/a
Toyota	Highlander	2008	direct	Yes	Yes	Yes	Yes	35/4.0
Toyota	Land Cruiser	2006-08	direct	No	Yes	No	Yes	35/4.0
Toyota	Matrix	2005-07	indirect	Yes	Yes	Yes	No	n/a
Toyota	Matrix	2008	direct	Yes	Yes	Yes	Yes	35/4.0
Toyota	Prius	2006-08	direct	No	Yes	No	No	35/4.0
Toyota	RAV4	2004-05	indirect	Yes	Yes	Yes	No	n/a

Vehicle Listing

Make	Model	Year	Type of System	Reset After Tire Rotation	Reset After Sensor Replacement	Reset After Tire Change	Tool Used For Reset *	Sensor Bolt or Nut Torque (Inch Lbs./N.m)
Toyota	RAV4	2006-08	direct	No	Yes	No	Yes	35/4.0
Toyota	Sequoia	2005-07	direct	Yes	Yes	No	No	35/4.0
Toyota	Sienna	2004-06	indirect	Yes	Yes	Yes	No	n/a
Toyota	Sienna	2007-08	direct	Yes	Yes	Yes	Yes	35/4.0
Toyota	Solara	2004-06	indirect	Yes	Yes	Yes	No	n/a
Toyota	Tacoma	2006-08	direct	No	Yes	No	Yes	35/4.0
Toyota	Tundra	2005-06	direct	No	Yes	Yes	Yes	35/4.0
Toyota	Tundra	2007-08	direct	Yes	Yes	Yes	Yes	35/4.0
Toyota	Yaris	2008	direct	Yes	Yes	Yes	Yes	35/4.0
Volkswagen	EOS	2007	direct	Yes	Yes	Yes	No	71/8.0
Volkswagen	GTI	2005-06	indirect	No	n/a	No	No	n/a
Volkswagen	GTI	2006-07	direct	Yes	Yes	Yes	No	71/8.0
Volkswagen	Jetta	2005-06	indirect	No	n/a	No	No	n/a
Volkswagen	Jetta	2006-07	direct	Yes	Yes	Yes	No	71/8.0
Volkswagen	Passat	2006	indirect	No	n/a	No	No	n/a

Vehicle Listing

Make	Model	Year	Type of System	Reset After Tire Rotation	Reset After Sensor Replacement	Reset After Tire Change	Tool Used For Reset *	Sensor Bolt or Nut Torque (Inch Lbs./N.m)
Volkswagen	Passat	2006-07	direct	Yes	Yes	Yes	No	71/8.0
Volkswagen	Phaeton	2004-06	direct	Yes	Yes	Yes	No	35/4.0
Volkswagen	Rabbit	2007	direct	Yes	Yes	Yes	No	71/8.0
Volkswagen	Touareg	2004-07	direct	Yes	Yes	Yes	No	62/7.0
Volvo	C30	2008	direct	Yes	Yes	Yes	Yes	88.5/10.0
Volvo	C70	2008	direct	Yes	Yes	Yes	Yes	88.5/10.0
Volvo	S40	2008	direct	Yes	Yes	Yes	Yes	88.5/10.0
Volvo	S60	2005-07	direct	Yes	Yes	Yes	No	88.5/10.0
Volvo	S60	2008	direct	Yes	Yes	Yes	Yes	88.5/10.0
Volvo	S80	2005-07	direct	Yes	Yes	Yes	No	88.5/10.0
Volvo	S80	2008	direct	Yes	Yes	Yes	Yes	88.5/10.0
Volvo	V50	2008	direct	Yes	Yes	Yes	Yes	88.5/10.0
Volvo	V70	2005-07	direct	Yes	Yes	Yes	No	88.5/10.0
Volvo	V70	2008	direct	Yes	Yes	Yes	Yes	88.5/10.0
Volvo	XC70	2005-07	direct	Yes	Yes	Yes	No	88.5/10.0

Vehicle Listing

Make	Model	Year	Type of System	Reset After Tire Rotation	Reset After Sensor Replacement	Reset After Tire Change	Tool Used For Reset *	Sensor Bolt or Nut Torque (Inch Lbs./N.m)
Volvo	XC90	2005-07	direct	Yes	Yes	Yes	No	88.5/10.0
Volvo	XC90	2008	direct	Yes	Yes	Yes	Yes	88.5/10.0

* Some models require the use of an OEM scan tool to reset TPMS.
Refer to the appropriate article within the reference manual for information.

Vehicle Listing